				·	·	
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	14	raiser with card	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:36
L5	1	raiser with card and ADEX	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:37
L6	1	raiser with card and switch\$4 with power with off	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:38
L7	1	raiser with card and switch\$4 with off	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:38
L9	13252	PCI and valid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:39
L10	579	PCI with valid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:39
L13	444	PCI with valid\$6 and register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:40
L14	34	PCI with valid\$6 and register and (snapshot or "snap shot")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:45
L15	32	PCI with valid\$6 and register and (snapshot or "snap shot") and test	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:40
L16	20	PCI with valid\$6 and register and (snapshot or "snap shot") and test and FAIL	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:40
L17	20	PCI with valid\$6 and register and (snapshot or "snap shot") and test and FAIL and PASS	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:41

Γ			T .			1
L18	1	PCI with valid\$6 and register and (snapshot or "snap shot") and test and FAIL and PASS and RAID	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:41
L19	14	14 not 17	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:45
L20	3151	peripheral with testing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:46
L21	186	peripheral adj device with testing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:46
L22	56	peripheral adj device with testing and register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:46
L23	0	peripheral adj device with testing and register and ".ini"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:46
L24	31	peripheral adj device with testing and register and initial\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:46
SI	751	(714/43).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 16:17
S2	236	(714/36).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/24 18:58
S3	174	(714/44).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/24 18:59
S5	680	(S1 or S2 or S3) and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/24 18:59

C/	207	(61 62 62)	HO DOS:		011	
S6	296	(S1 or S2 or S3) and configuration and register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/24 18:59
S7	129	(S1 or S2 or S3) and configuration same register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/24 19:00
S8	1	(S1 or S2 or S3) and configuration and register and re-initializing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/24 19:04
S9	88	(S1 or S2 or S3) and configuration with register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/24 19:06
S10	12	snapshot with configuration with register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:16
S13	59	snapshot and re-initializing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:17
S14	48	snapshot and re-initializing and register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:17
S15	46	snapshot and re-initializing and register and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:18
S16	30	snapshot and re-initializing and register and configuration and validat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:22
S17	72	(714/21).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/25 11:21
S18	30	snapshot and re-initializing and register and configuration and validat\$4 and (power or shut)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:33

S19	20	snapshot and re-initializing and register with configuration and validat\$4 and (power or shut)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:33
S20	33	snapshot and re-initializing and validat\$4 and (power or shut)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:34
S22	1	snapshot same register with configuration and re-initializing and validat\$4 and (power or shut)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:35
S23	20	snapshot and register with configuration and re-initializing and validat\$4 and (power or shut)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:37
S24	942	ini with file	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:37
S25	134	ini with file and snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:37
S26	25	ini with file and snapshot and diagnostic	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON .	2006/05/25 11:37
S27	23	ini with file and snapshot and diagnostic and (power or shut)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 11:37
S28	149	configuration and register and RAID and PCI and adapter and initialized	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 17:50
S29	43	configuration with register and RAID and PCI and adapter and initialized	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 17:50
S30	20	configuration with register and RAID and PCI with adapter and initialized	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 17:50

S31	12	configuration adj register and RAID and PCI with adapter and initialized	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:43
S33	0	configuration adj register and snapshot and ".ini"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:04
S34	230	configuration adj register and snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:44
S35	57	configuration adj register and snapshot and adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:44
S37	235	PCI and validation and snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:44
S38	. 186	PCI and validation and snapshot and register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:44
S39	109	PCI and validation and snapshot and configuration with register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:44
S40	97	PCI and validation and snapshot and configuration with register and initializing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:45
S41	1	PCI and validation and snapshot and configuration with register same initializing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON .	2006/05/25 18:45
S42	79	PCI and validation and snapshot and configuration with register same initial\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:48
S43	29	valid\$6 with host with bus with adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:56

c						
S44	579	valid\$6 with PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:56
S45	85	valid\$6 adj PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:56
S46	69	valid\$6 adj PCI and power	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 19:34
S47	4	valid\$6 adj PCI and power and snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 18:56
S48	62	diagnostic with RAID	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 19:43
S49	0	RAIDDIAG	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/25 19:43
S50	58	snapshot same configuration with register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:04
S51	12	snapshot with configuration with register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:04
S52	46	S50 not S51	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2006/05/26 17:11
S53	0	snapshot and ".ini"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:12
S54	0	".ini"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:12

	_		1 .		r	
S55	0	".ini file"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:12
S56	26169	configuration with file	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:13
S57	12180	configuration adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:13
S58	876	configuration adj file and snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:13
S59	497	configuration adj file and snapshot and initializ\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:13
S60	23	configuration adj file and snapshot and re-initializ\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/26 17:13
S61	2	power with cycling with bus with adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 18:52
S62	24132	validating	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 13:49
S63	960	re-initializing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 13:50
S64	456	re-initializing and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 13:50
S65	61	re-initializing and configuration with register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR _.	OFF	2006/05/27 14:10

S66	16201	config\$6 with register	US-PGPUB;	OR	OFF	2006/05/27 14:12
			USPAT; EPO; JPO; DERWENT ; IBM_TDB			
S67	43	"snap shot" with register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 16:32
S68	23	"snap shot" with register and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 16:21
S69	27	"snap shot" with register and (reset\$5 or restart\$5 or shutdown)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 16:31
S70	16	S67 not S69	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 16:41
S71	751	registry and ("snap shot" or snapshot)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 16:44
S72	787	(registry or "config file") and ("snap shot" or snapshot)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 16:45
S73	78	(registry or "config file") same ("snap shot" or snapshot)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF .	2006/05/27 17:13
S74	5	disk adj image with register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 17:14
S75	7984	initializ\$6 with file	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 17:14
S76	1135	initializ\$6 adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 17:14

S77	309	initializ\$6 adj file and register	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 17:14
S78	24	initializ\$6 adj file and register and (snapshot or "snap shot")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/27 21:36

5/27/2006 9:58:23 PM C:\Documents and Settings\\truong7\\My Documents\\EAST\\Workspaces\\10733546.wsp